

ohne Ausrundung  
 km 0+200.523  
 h TS = 252.001 m

H = 3000.000 m  
 T = 13.891 m  
 f = 0.032 m  
 km 0+263.032  
 h TS = 251.674 m

H =  
 T =  
 f =  
 km  
 h TS =

— Kaiserslautern

← NN 240.000 m

Km 0+200,523 = Km 23+650 der A 63 (Achse 1)

Station	Geländehöhe	Gradientenhöhe
200.523	252.175	252.001
210.000	252.166	
220.000	252.026	
230.000	252.005	
240.000	251.968	
249.141	251.877	251.747
250.000	251.447	251.642
260.000	251.168	
263.032	251.075	251.473
270.000	251.196	
276.923	251.407	
280.000	251.348	
290.000	251.251	
300.000	251.145	250.728
310.000	250.729	
320.000	250.827	
328.345		
330.000		
340.000		
350.000		

Krümmung  
 100 / R (cm)  
 Rechtskurve  
 Linkskurve

210.474 229.097 R=100 256.050  
 A=1002.525 l=18.623m  
 l=150.249m R=-4885.301  
 l=27.753m  
 R=∞ l=41.931m

298.784 323.981

l=251.997m  
 R=-100

200.523


256.050

281.850

306.850

Querneigung

=	5000.000	m
=	23.726	m
=	0.056	m
=	0+352.071	
ITS =	250.384	m



340.000	250.729	
350.000	250.827	
352.071		250.440
360.000	250.846	
370.000	250.881	
375.797		250.265
380.000	250.898	
390.000	250.898	
394.000		
400.000	250.809	
410.000	250.833	
420.000	250.883	
430.000	250.845	
440.000	250.860	
450.000	250.828	
454.000		
460.000	250.847	
470.000	250.784	
480.000	250.638	
490.000	250.359	
500.000	250.122	
510.000	249.843	
520.000	249.771	
524.000		
530.000	249.866	
540.000	249.950	
550.000	248.670	
560.000	248.733	
570.000	248.907	
580.000	248.759	
590.000	248.374	
594.000		
600.000	247.872	
610.000	247.462	
620.000	247.261	

R=∞ l=133.322m

457.303 471.691

R=∞ l=178.899m


l=14.388m  
R=-100

H	=	3000.000	m
T	=	17.835	m
f	=	0.053	m
km	=	0+664.058	
h TS	=	248.824	m

H	=	3000.000	m
T	=	18.181	m
f	=	0.055	m
km	=	0+732.213	
h TS	=	249.294	m

ohne Ausrundung  
 km 0+824.103  
 h TS = 248.813 m

Best. BW/6213 / 632  
 km 24+250 der A 63



610.000	247.462	
620.000	247.261	
630.000	247.309	
640.000	247.562	
646.223		248.913
650.000	247.506	
654.000		
658.000		
661.223	247.313	248.876
664.058		248.877
670.000	247.308	
680.000		
681.893	247.650	248.947
690.000	247.773	
700.000	247.306	
710.000	247.158	
714.032		249.168
720.000	247.024	
730.000		
732.213	246.720	249.239
734.703		249.240
740.000	246.359	
750.000		
750.394	246.017	249.199
760.000	245.845	
770.000	246.832	
780.000	247.760	
790.000	248.558	
800.000	248.899	
810.000	248.814	
820.000	247.755	
824.103	248.004	248.813

Km 0+824,103 = Km 24+260 der A 63 (Achse 1)

650.590 681.395 770.735 805.074  
 l=30.805m R=-100  
 R=∞ l=09.34m R=150  
 l=34.339m l=4.066m A=1003.132  
 R=-4183.571 l=160.337m

**PLANFESTSTELLE**

Rheinland-Pfalz

Landesbetrieb Straßenbau  
 Kaiserslautern  
 Eckelstraße 6 · 67655  
 Tel: 0631/3631-0 · Fa

**A 63**  
**Tank- und Rast**  
**Donnersberg**  
**Anlage Süd**  
**Fahrgasse Ac**

Entwurfprüfung:	
Straßenplanung:	
Landespflege:	
Wasserwirtschaft:	
Immissionsschutz:	
Hauptsachgebietsteif	
Nr. Art der Änderung:	
1	
2	
3	
4	
aufgestellt:	

720.735

745.735

770.735

824.103


2000.000 m  
 14.997 m  
 0.056 m  
 0+240.000  
 249.824 m

H	=	2000.000	m
T	=	14.997	m
f	=	0.056	m
km	=	0+342.862	
h TS	=	247.767	m

H	=	2000.000	m
T	=	24.909	m
f	=	0.155	m
km	=	0+430.000	
h TS	=	247.331	m

H	=	3000.000	m
T	=	19.528	m
f	=	0.064	m
km	=	0+501.682	
h TS	=	248.758	m

ohne Ausrundung  
 km 0+560.000  
 h TS = 249.160 m



250.903	
251.123	249.767
251.805	
252.060	249.524
250.408	
250.457	
249.716	
246.931	
247.000	
246.043	
245.924	248.067
246.112	247.823
246.096	
245.941	247.692
245.606	
245.328	
245.055	
244.748	247.456
244.325	247.431
243.912	
243.622	247.486
243.652	
243.932	247.827
244.391	
244.954	
245.641	248.369
246.273	
246.828	248.695
247.156	
247.396	248.893
247.751	
247.640	
247.253	
247.140	249.160

Km 0+560 = Km 0+712,848 (Achse 11)

Auslauf in Rückhaltepolder

**PLANFESTSTELLE**

Rheinland-Pfalz

Landesbetrieb Straße  
 Kaiserslautern  
 Eckelstraße 6 · 67665  
 Tel: 0631/2631-0 · Fax

A 63